| EXE | CUTIV | E SUMMARY | ES-1 | | |
|-----|-------|---|------|--|--|
| 1.0 | INTR | ODUCTION | 1-1 | | |
| | 1.1 | Overview | 1-1 | | |
| | 1.2 | Purpose | 1-1 | | |
| | 1.3 | Background | | | |
| | | 1.3.1 Goals of the OBMP Water Supply Plan | 1-2 | | |
| | | 1.3.2 OBMP Groundwater Recharge Component | | | |
| | 1.4 | Methodology | | | |
| | | 1.4.1 System Inventory and Data Review | | | |
| | | 1.4.3 Development of Implementation Plan | | | |
| | 1.5 | Abbreviations/Acronyms | 1-5 | | |
| | 1.6 | References | | | |
| | 10011 | EO AFFECTINO ODOUNDIA/ATED DECUADOS | 0.4 | | |
| 2.0 | | ES AFFECTING GROUNDWATER RECHARGE | | | |
| | 2.1 | Overview | | | |
| | 2.2 | Chino Basin Geology | | | |
| | 2.3 | Groundwater Management Zones | | | |
| | | 2.3.1 Management Zone 1 2.3.2 Management Zone 2 | | | |
| | | 2.3.3 Management Zone 3 | 2-3 | | |
| | | 2.3.4 Management Zone 4 | | | |
| | | 2.3.5 Management Zone 5 | | | |
| | 2.4 | Current and Future Water Demand | | | |
| | | | | | |
| | 2.5 | Sources of Groundwater Recharge | | | |
| | | 2.5.2 Recycled Water | | | |
| | | 2.5.3 Imported Water | 2-14 | | |
| 3.0 | EXIS | TING SYSTEM | 3-1 | | |
| | 3.1 | Overview | 3-1 | | |
| | 3.2 | Descriptions of Existing Basins | 3-1 | | |
| 4.0 | IMPR | PROVEMENTS TO EXISTING SYSTEM4-1 | | | |
| | 4.1 | Overview | | | |
| | 4.2 | Recharge Capacity and Proposed Recharge Mix at Each Basin | | | |
| | 4.3 | Basis of Design | | | |
| | 4.4 | Descriptions of Improvements to Existing Basins | | | |
| | | 4.4.1 Brooks Street Basin | 4-7 | | |
| | | 4.4.2 Montclair Basins | | | |
| | | 4.4.3 Seventh and Eighth Street Basins4.4.4 Upland Basin | | | |
| | | 4.4.5 Ely Basins. | | | |

Table of Contents

| Auc | nist | 20 | 01 |
|-----------------|------|----|-----------|
| \neg u \cup | ıusı | ~~ | v |

| | 5.2 5.3 5.4 5.5 | Develo 5.2.1 5.2.2 Addition | opment of New Basins College Heights Basin RP3 Recharge Basins onal Recharge Potential | 5-1 5-2 5-2 5-4 5-6 |
|-----|--------------------------|--|---|---------------------------------|
| | 5.2 | Develo 5.2.1 5.2.2 Additio | Opment of New Basins College Heights Basin RP3 Recharge Basins onal Recharge Potential | |
| | | Develo 5.2.1 5.2.2 | Ppment of New Basins | 5-1 5-2 5-2 |
| | J.1 | Overvi | IC W | |
| | 5.1 | Ωνωννί | iew | 5 1 |
| 5.0 | DEVE | | ENT OF NEW RECHARGE AREAS | |
| | | 4.4.18 | Wineville Basin | 4-4] |
| | | 4.4.17 | Jurupa Basin | |
| | | 4.4.13 | Etiwanda Conservation Ponds | |
| | | 4.4.14 4.4.15 | Banana Basin | |
| | | 4.4.13 | Victoria Basin | |
| | | 4.4.12 | Turner Basins Nos. 2, 3, and 4 | |
| | | 4.4.11 | Turner Basin No. 1 | |
| | | 4.4.10 | San Sevaine Basins 1, 2, and 5 | |
| | | 4.4.8 4.4.9 | Lower Day Creek Basin | |
| | | 4.4.7 | Hickory Basin | |
| | | 4.4.6 | Etiwanda Spreading Basins | 4-1 |

Table of Contents August 2001

LIST OF TABLES

| ES-1 | Summary of Proposed Basin Improvements for Storm Water and Imported Water |
|------|---|
| | Recharge |

- ES-2 Recharge Capacity and Costs
- 1-1 Goals of the OBMP
- 2-1 Precipitation and Subsequent Storm Water Produced
- 2-2 Potential Sources of Recycled Water
- 2-3 Metropolitan Connections within the Chino Basin
- 2-4 Spreading Facilities for MWD Replenishment
- 3-1 Existing Sites for Possible Use as Recharge Basins
- 4-1 Recharge Capacity and Proposed Recharge Mix at Each Basin
- 4-2 Summary of Proposed Basin Improvements for Storm Water and Imported Water Recharge
- 4-3 Basin Recharge Capacity and Costs
- 4-4 Improvement Costs for Brooks Street Basin
- 4-5 Improvement Costs for Montclair Basins
- 4-6 Improvement Costs for Seventh and Eighth Street Basins
- 4-7 Improvement Costs for Upland Basin
- 4-8 Improvement Costs for Ely Basins
- 4-9 Improvement Costs for Etiwanda Spreading Basins
- 4-10 Improvement Costs for Hickory Basin
- 4-11 Improvement Costs for Lower Day Creek Basin
- 4-12 Improvement Costs for San Sevaine Basin Nos. 1, 2, and 3
- 4-13 Improvement Costs for San Sevaine Basin Nos. 4 and 5
- 4-14 Improvement Costs for Turner Basin No. 1
- 4-15 Improvement Costs for Turner Basin Nos. 2, 3, and 4
- 4-16 Improvement Costs for Victoria Basin
- 4-17 Improvement Costs for Banana Basin
- 4-18 Improvement Costs for Declez Basin
- 4-19 Improvement Costs for Etiwanda Conservation Ponds
- 4-20 Improvement Costs for Jurupa Basin
- 4-21 Improvement Costs for Wineville Basin
- 5-1 Recharge Capacities and Costs for New Basins
- 5-2 Improvement Costs for College Heights Basin
- 5-3 Improvement Costs for RP-3 Recharge Basin

Table of Contents August 2001

LIST OF FIGURES

- ES-1 Location of Stormwater Retention and Conservation Basins
- ES-2 Population, Housing and Water Demand Projections
- ES-3 Double Mass Curve of Rainfall at San Bernardino vs. Storm Water Measure below Prado Dam
- ES-4 Double Mass Curve of Rainfall at San Bernardino vs. Storm Water Produced in the Chino Basin and Measured Below Prado Dam
- ES-5 Potential and Priority Groundwater Recharge Areas
- ES-6 Preliminary Implementation Schedule
- 2-1 Locations of Major Faults in the Chino Basin
- 2-2 Fall 1997 Groundwater Elevation Map
- 2-3 Management Zones of the Chino Basin
- 2-4 Population, Housing and Water Demand Projections
- 2-5 Land Use in Chino Basin
- 2-6 Storm Water Discharge Time History for the Santa Ana River Below Prado Dam
- 2-7 Double Mass Curve of Rainfall at San Bernardino vs. Storm Water Measure below Prado Dam
- 2-8 Double Mass Curve of Rainfall at San Bernardino vs. Storm Water Produced in the Chino Basin and Measured Below Prado Dam
- 2-9 Imported Water Pipelines in the Chino Basin
- 4-1 Proposed New Metropolitan Turnouts and Turnout Expansions
- 4-2 Brooks Street Basin
- 4-3 Montclair Basins
- 4-4 7th and 8th Street Basins
- 4-5 Upland Basin
- 4-6 Ely Basins
- 4-7 Etiwanda Spreading Basins
- 4-8 Hickory Basin
- 4-9 Lower Day Basin
- 4-10 San Sevaine Basin Nos. 1, 2, and 3
- 4-11 San Sevaine Basin Nos. 4 and 5
- 4-12 Turner Basin No. 1
- 4-13 Turner Basin Nos. 2, 3, and 4
- 4-14 Victoria Basin
- 4-15 Banana Basin
- 4-16 Declez Basin
- 4-17 Etiwanda Conservation Ponds
- 4-18 Jurupa Basin
- 4-19 Wineville Basin
- 5-1 College Heights Basins
- 5-2 RP-3 Basins
- 6-1 Preliminary Implementation Schedule

| Chino Basin W | atermaster |
|---------------|------------|
|---------------|------------|

Recharge Master Plan

B&V Project 49573

Table of Contents August 2001